search




Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	(prose ADJ rendition).ID.	20010604	0	· -
2	INZZ	prose ADJ rendition	19960604	0	-

hide | delete all search steps... | delete individual search steps...

	whole document	
Information added since: 19960604 or (YYYYMMDD)	none	
Select special search terms from the foll	owing list(s):	
Publication year		,
Classification codes A: Physics, 0-1		
Classification codes A: Physics, 2-3		
Classification codes A: Physics, 4-5	•	
Classification codes A: Physics, 6		
Classification codes A: Physics, 7		
Classification codes A: Physics, 8		
Classification codes A: Physics, 9		
Classification codes B: Electrical & El	ectronics, 0-5	
Classification codes B: Electrical & El	ectronics, 6-9	
Classification codes C: Computer & C	Control	
Classification codes D: Information T	- echnology	
Classification codes E: Manufacturing	g & Production	
Treatment codes		



Top - News & FAQS - Dialog

© **2005** Dialog



Public STINET Home | Collections


Your search for prose rendition matched 0 out of 851920 documents from the collection(s): tr.



Privacy & Security Notice | Web Accessibility

stinet@dtic.mil





Search history:

No.	Database	Search term	Results	
1	EEDD	prose ADJ rendition	0	-
2	EEDD	(prose ADJ rendition).KW.	0	-

hide | delete all search steps... | delete individual search steps...


Enter your search term(s): Search tips whole document	
To restrict search by date, use the limit button.	s cardh

☐ Documents available in fulltext

Select special search terms from the following list(s): Document type

Top - News & FAQS - Dialog

© 2005 Dialog



Return to the USPTO NPL Page | Help

Basic Advanced <u>Databases selected:</u> ProQues	Publications	My Research O marked items	890 - 1985)	Interface language: English What's new
<u>Databases selected.</u> 1 logues	i i ilatolicai Newape	spera Officago Tribunic (1	1000	<u>vviiato new</u>
Results				
6 documents found for: (pros	se rendition) AND	PDN(<4/6/2001)		
Newspapers				
☐ Mark all ② 0 marked	items: Email / Cit	e / Export	Sort results by:	Oldest (historical) first
of the immigration	and Its Decided	THE GERMAN ELEM Influence on the Nati . Chicago, III.: Dec 22,	ve Populution.	TED STATES. Character
🖆 <u>Article im</u>	age - PDF	🗟 <u>Page map</u>	Abstr Abstr	ract
2. <u>Display Ad 12 N</u> Chicago Daily Trib	<u>o Title</u> oune (1872-1963)	. Chicago, III.: Dec 4, 1	912. p. 13 (1 page)
Article im	age - PDF	Page map	Citati	<u>on</u>
3. <u>Display Ad 17 N</u> Chicago Daily Trib		. Chicago, III.: Feb 20,	1957. p. 17 (1 pag	e)
Article im	age - PDF	Page map	Citati	<u>on</u>
4. <u>Display Ad 8 No</u> Chicago Daily Trib		. Chicago, III.: Sep 29,	1959. p. 9 (1 page	·)
Article im	age - PDF	Page map	🕮 <u>Citati</u>	<u>on</u>
5. From the files of a David Mamet. Chic	dramatist; Two ago Tribune (196	by O'Hara 63-Current file). Chica	go, III.: Nov 18, 19	79. p. E3 (1 page)
Article im	age - PDF	Page map	Abstr	act
6. Three celebrities of Larry Swindell. Chi		eir private lives 063-Current file). Chica	ago, III.: Jul 27, 19	80. p. E3 (1 page)
Article im	age - PDF	Page map	Abstr	ract
1-6 of 6				
				Results per page: 30 💌
Basic Search		Tools:	Search Tips 9	Recent Searches
prose rendition			8	earch Clear
Database: News - The	Historical Chicaç	go Tribune	Select multi	ple databases
Date range:				
O On this d	late: mm/dd/y	ууу		

Before this date: 04/06/2001

O From: mm/dd/yyyy To: mm/dd/yyyy

More Search Options

Copyright © 2005 ProQuest Information and Learning Company. All rights reserved. <u>Terms and Conditions</u>

<u>Text-only interface</u>



Q Pro C) u e s t°		Return	to the USPTO NP	L Page Help
	anced Publications d: ProQuest Dissertations a	My Research O marked items nd Theses - Full Text		Interface lan English	guage: What's new
Results					
2 documents four	nd for: (prose rendition) Al	ND PDN(<12/31/2001)	Set up Alert	About	
Dissertations					
☐ Mark all ②	0 marked items: Email /	Cite / Export	Show only full t	<u>ext</u> Sort res	ults by: Most re
	n und Morolf": An Englis danz, Joseph H., Ph.D., T			1994, 250 pages;	AAT 9510963
	Abstract	24 Page Preview	🖺 Page	Image - PDF	Order a c
PROGR	FECT OF ORGANIZING O AMS DESIGNED FOR AL GHT, ELIZABETH E., Educ	DULT LEARNERS (APT	ITUDE TREAT	MENT, INTERAC	TION)
•	Abstract	24 Page Preview	🖺 <u>Page</u>	Image - PDF	Order a c
Want an alert for Basic Searc	new results sent by ema			1 Recent Search	Results pe
prose renditio	n			Search Clea	
Database:	Interdisciplinary - Disse	ertations and Theses Fu	II Text ▼ Sele	ect multiple databas	ses_
Date range:	Before this year	12/31/2001	About		
Limit results to	Full text documents of	_			
•	☐ Doctoral dissertations	s only 🥓 <u>About</u>			
More Search C	<u>)ptions</u>				
Copyright	⊚ 2005 ProQuest Informatio	on and Learning Company Text-only interface	. All rights reserv	ed. <u>Terms and Co</u>	<u>nditions</u>
		Pro Quest			

http://proquest.umi.com/pqdweb?RQT=305&querySyntax=PQ&searchInterface=1&moreOpt... 9/11/05

☐ ProQuest [®]		Return to the USPTO NPL Page H	<u>elp</u>
Basic Advanced Topics Databases selected: Multiple databases	<u>U markeu i</u>		new
Results			
2 documents found for: (prose rend	dition) AND PDN(<6/4/2001) Sets	About	
Dissertations			
☐ Mark all ② 0 marked items	: Email / Cite / Export	ow only full text Sort results by:	ost re
1. "Salman und Morolf": A	n English translation with introdu Ph.D The University of Nebrask	<u>iction</u> a - Lincoln, 1994, 250 pages; AAT 95109	963
<u> Abstract</u>	24 Page Preview	Page Image - PDF	
PROGRAMS DESIGNED	FOR ADULT LEARNERS (APTITI	ENT AND TIME ON TASK IN INSTRUCT JDE TREATMENT, INTERACTION) Iniversity, 1984, 178 pages; AAT 842733	
Abstract	24 Page Preview	🖺 <u>Page Image - PDF</u> 👨 <u>Orde</u>	er a c
1-2 of 2 Want an alert for new results ser	nt by email? Set up Aleri About	Resu	lts pe
Basic Search	Tools: <u>Search Tips</u> B	rowse Topics 1 Recent Searches	
prose rendition		Search Clear	
Database: Multiple datab	ases	Select multiple databases	
Date range: Before this date	e 9 06/04/2001	About	
Limit results to: Full text doc	•		
☐ Scholarly jo	urnals, including peer-reviewed 🎏	About	
More Search Options			
Copyright © 2005 ProQuest	Information and Learning Company, A	Il rights reserved. <u>Terms and Conditions</u>	





Search RD Database

Search

Log in

Search

- Quick Search
- Advanced Search
- Numeric Search
- Recent Search
- Last Result Set

Recent Disclosures

Search parameters information







Please Note: This page will be removed shortly. Please try our n Advanced Numeric Quick

If you want to find out more information about the search parameters available search, please see Search parameters information. Saved searches can be

prose rendition Search phrase: ☑ Search in title


☑ Search in text Search research to Dec 2000

Jan 1960

disclosure number OR date of publication:

1501

440999





Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library O The Guide

prose rendition and speech



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used prose rendition and speech

Found **1,108** of **160,906**

Sort results by

Best 200 shown

Display

results

relevance

expanded form

Save results to a Binder Search Tips ☐ Open results in a new

Try an Advanced Search Try this search in The ACM Guide

window

Results 1 - 20 of 200

Result page: $1 \quad \underline{2} \quad \underline{3} \quad \underline{4} \quad \underline{5} \quad \underline{6} \quad \underline{7} \quad \underline{8} \quad \underline{9} \quad \underline{10}$

next

Relevance scale

1 Web accessibility: Improving the accessibility of aurally rendered HTML tables Robert Filepp, James Challenger, Daniela Rosu

July 2002 Proceedings of the fifth international ACM conference on Assistive technologies

Full text available: pdf(1.36 MB)

Additional Information: full citation, abstract, references, citings, index

Current techniques employed to aurally render HTML tables often result in output that is very difficult for sight-impaired users to understand. This paper proposes TTPML, an XMLcompliant markup language, which facilitates the generation of prose descriptions of tabular information. The markup language enables content creators to specify contextual reinforcement of, and linear navigation through, tabular information. The markup language may be applied to pre-existing Web content and is reusable ...

Keywords: Web accessibility, XML, aural interfaces, tables

Potpourri: Translation analysis and translation automation

Pierre Isabelle, Marc Dymetman, George Foster, Jean-Marc Jutras, Elliott Macklovitch, Francois Perrault, Xiaobo Ren, Michel Simard

October 1993 Proceedings of the 1993 conference of the Centre for Advanced Studies on Collaborative research: distributed computing - Volume 2

Full text available: pdf(1.12 MB)

Additional Information: full citation, abstract, references, citings

We argue that the concept of translation analysis provides a suitable foundation for a new generation of translation support tools. We show that pre-existing translations can be analyzed into a structured translation memory and describe our TransSearch bilingual concordancing system, which allows translators to harness such a memory. We claim that translation analyzers can help detect translation errors in draft translations and we present the results of an experiment on the ...

3 Strategic directions in artificial intelligence

Jon Doyle, Thomas Dean

December 1996 ACM Computing Surveys (CSUR), Volume 28 Issue 4

Full text available: pdf(243.02 KB) Additional Information: full citation, references, index terms

4	Special section-Natural Language: Robust man-machine interfaces and dialog modelling: Carnegie-Mellon University Mark Boggs, Jaime Carbonell, Robert Frederking, Phil Hayes, George Mouradian, Don Kosy, Michael Mauldin, Hiromichi Fujisawa January 1982 ACM SIGART Bulletin, Issue 79	
	Full text available: pdf(385,16 KB) Additional Information: full citation, abstract, references	
	A number of projects at the Carnegie-Mellon University Computer Science Department address issues in Natural Language Processing. Since several of these projects share rescarchers and a similar view of the world, we have listed them in a single summary. Our general interests are in robust man-machine interfaces and the modelling of human dialogs.	
5	The "HyTime ": hypermedia/time-based document structuring language Steven R. Newcomb, Neill A. Kipp, Victoria T. Newcomb November 1991 Communications of the ACM, Volume 34 Issue 11	
	Full text available: pdf(12.96 MB) Additional Information: full citation, references, citings, index terms	
6	Man-aided computer translation from English into French using an on line system to	
•	Man-aided computer translation from English into French using an on-line system to manipulate a bi-lingual conceptual dictionary, or thesaurus Margaret Masterman August 1967 Proceedings of the 1967 conference on Computational linguistics	
	Full text available: pdf(914.09 KB) Additional Information: full citation, references	
7	The rhythm of lexical stress in prose Doug Beeferman June 1996 Proceedings of the 34th annual meeting on Association for Computational	
	Full text available: pdf(718.04 KB) Additional Information: full citation, abstract, references Additional Information: full citation, abstract, references	
	"Prose rhythm" is a widely observed but scarcely quantified phenomenon. We describe an information-theoretic model for measuring the regularity of lexical stress in English texts, and use it in combination with trigram language models to demonstrate a relationship between the probability of word sequences in English and the amount of rhythm present in them. We find that the stream of lexical stress in text from the Wall Street Journal has an entropy rate of less than 0.75 bits per syllable for c	
8	Continuous speech recognition and evaluation I: Collection and analyses of WSJ-CSR data at MIT Michael Phillips, James Glass, Joseph Polifroni, Victor Zue February 1992 Proceedings of the workshop on Speech and Natural Language HLT '91	
	Full text available: pdf(635.17 KB) Additional Information: full citation, abstract, references	
	Recently, the DARPA community started a new data collection initiative in the Wall Street Journal (WSJ) domain to support research and development of very large vocabulary continuous speech recognition (CSR) systems. Since August 1991, our group has actively participated in the development of the WSJ-CSR corpus. The purpose of this paper is to document our involvement in this process, from recording and transcription to analyses and	

9	Prosody: On customizing prosody in speech synthesis: names and addresses as a case in point Kim E. A. Silverman March 1993 Proceedings of the workshop on Human Language Technology HLT '93	
	Full text available: pdf(675.83 KB) Additional Information: full citation, abstract, references	
	This work assesses the contribution of domain-specific prosodic modelling to synthetic speech quality in a name-and-address information service. A prosodic processor analyzes the textual structure of labelled input strings, and inserts markers which specify the intended prosody for the DECtalk text-to-speech synthesizer. These markers impose discourse-level prosodic organization, annotate the information structure, and adapt the speaking rate to listeners in real time. In a quantitative comparis	
10	The contribution of parsing to prosodic phrasing in an experimental text-to-speech	
	System Joan Bachenko, Eileen Fitzpatrick, C. E. Wright July 1986 Proceedings of the 24th annual meeting on Association for Computational Linguistics Full text available: pdf(1.03 MB) Additional Information: full citation, abstract, references, citings Publisher Site	
	While various aspects of syntactic structure have been shown to bear on the determination of phraselevel prosody, the text-to-speech field has lacked a robust working system to test the possible relations between syntax and prosody. We describe an implemented system which uses the deterministic parser Fidditch to create the input for a set of prosody rules. The prosody rules generate a prosody tree that specifies the location and relative strength of prosodic phrase boundaries. These specificati	
11	A computational theory of prose style for natural language generation David D. McDonald, James D. Pustejovsky March 1985 Proceedings of the second conference on European chapter of the Association for Computational Linguistics	
	Full text available: pdf(588.39 KB) Additional Information: full citation, abstract, references, citings	
	In this paper we report on initial research we have conducted on a computational theory of prose style. Our theory speaks to the following major points:1. Where in the generation process style is taken into account.2. How a particular prose style is represented; what "stylistic rules" look like;3. What modifications to a generation algorithm are needed; what the decision is that evaluates stylistic alternatives;4. What elaborations to the normal description of surface structure are necessary to	
12	<u>Linguistics: poetics: Efficiency tools in the speeches of Martin Luther King, Jr.</u> M. Cassandra Foster Smith September 1980 Proceedings of the 8th conference on Computational linguistics	
	Full text available: pdf(555.12 KB) Additional Information: full citation, abstract, references	
	This thesis represents the results of a computer-aided analysis of aspects of speeches of the Reverend Martin Luther King, Jr. Specifically, the analysis has investigated the occurrence of indicators of the efficiency functiontools facilitating the comprehension of a discourse by a hearer or readerin four speeches of Dr. King.Contrary to the expectations of many who anticipate complex grammatical structures in the discourse of those who are speechmakers before many and diverse audiences, thi	•
13	Parsing with a small dictionary for applications such as text to speech	

Douglas D. O'Shaughnessy

June 1989 Computational Linguistics, Volume 15 Issue 2

Publisher Site

Full text available: pdf(1.36 MB) Additional Information: full citation, abstract, references, citings

While the general problem of parsing all English text is as yet unsolved, there are practical applications for text processors of limited parsing capability. In automatic synthesis of speech from text, for example, speech quality is highly dependent on realistic prosodic patterns. Current synthesizers have difficulty obtaining sufficient linguistic information from an input text to specify prosody properly. When people speak, they often use the syntactic structure of the text message to determin ...

14 The correction of ill-formed input using history-based expectation with applications to speech understanding



Pamela K. Fink, Alan W. Biermann

January 1986 Computational Linguistics, Volume 12 Issue 1

Full text available: pdf(1.74 MB) Additional Information: full citation, abstract, references, citings

A method for error correction of ill-formed input is described that acquires dialogue patterns in typical usage and uses these patterns to predict new inputs. Error correction is done by strongly biasing parsing toward expected meanings unless clear evidence from the input shows the current sentence is not expected. A dialogue acquisition and tracking algorithm is presented along with a description of its implementation in a voice interactive system. A series of tests are described that show the ...

15 Special issue on using large corpora: II: Using register-diversified corpora for general language studies



Douglas Biber

June 1993 Computational Linguistics, Volume 19 Issue 2

Full text available: pdf(1.43 MB) Additional Information: full citation, abstract, references, citings

The present study summarizes corpus-based research on linguistic characteristics from several different structural levels, in English as well as other languages, showing that register variation is inherent in natural language. It further argues that, due to the importance and systematicity of the linguistic differences among registers, diversified corpora representing a broad range of register variation are required as the basis for general language studies. First, the extent of cross-register di ...

16 Towards Personal MT: general design, dialogue structure, potential role of speech Christian Boitet



August 1990 Proceedings of the 13th conference on Computational linguistics - Volume

Full text available: 📆 pdf(711.41 KB) Additional Information: full citation, abstract, references

Personal MT (PMT) is a new concept in dialogue-based MT (DBMT), which we are currently studying and prototyping in the LIDIA project Ideally, a PMT system should run on PCs and be usable by everybody. To get his/her text translated into one or several languages, the writer would accept to cooperate with the system in order to standardize and clarify his/her document. There are many interesting aspects in the design of such a system. The paper briefly presents some of them (HyperTex ...

Keywords: ambiguity resolution, dialogue-based Machine Translation, man-machine dialogue, personal machine translation, speech synthesis

17	Towards Personal MT: general design, dialogue structure, potential role of speech Christian Boitet August 1990 Proceedings of the 13th conference on Computational linguistics - Volume 3	3333
	Full text available: pdf(758.74 KB) Additional Information: full citation, abstract, references, citings	
	Personal MT (PMT) is a new concept in dialogue-based MT (DBMT), which we are currently studying and prototyping in the LIDIA project Ideally, a PMT system should run on PCs and be usable by everybody. To get his/her text translated into one or several languages, the writer would accept to cooperate with the system in order to standardize and clarify his/her document. There are many interesting aspects in the design of such a system. The paper briefly presents some of them (HyperTex	
	Keywords : ambiguity resolution, dialogue-based Machine Translation, man-machine dialogue, personal machine translation, speech synthesis	
18	Speech recognition bibliography N. B. Lerner	****
	July 1989 ACM SIGOIS Bulletin, Volume 10 Issue 3	
	Full text available: pdf(606.72 Additional Information: full citation, index terms KB)	
19	High level knowledge sources in usable speech recognition systems S. L. Young, A. G. Hauptmann, W. H. Ward, E. T. Smith, P. Werner February 1989 Communications of the ACM, Volume 32 Issue 2	
	Full text available: pdf(1.62 MB) Additional Information: full citation, abstract, references, citings, index terms	
	The authors detail an integrated system which combines natural language processing with speech understanding in the context of a problem solving dialogue. The MINDS system uses a variety of pragmatic knowledge sources to dynamically generate expectations of what a user is likely to say.	
20	Why is synthetic speech harder to remember than natural speech? John A. Waterworth April 1985 Proceedings of the SIGCHI conference on Human factors in computing systems	
	Full text available: pdf(578.15 KB) Additional Information: full citation, abstract, references, index terms	
	Previous research has demonstrated that synthetic speech is less well recalled than natural	

speech. Luce et al (1983) concluded that this was because synthetic speech increases the effort involved in encoding and/or rehearsal of presented information. Results of the experiments described here, which involved ordered recall of lists of ten words spoken in either a synthetic or a natural voice, with repetition of the words as a measure of successful encoding, indicate that most of the memory ...

Results 1 - 20 of 200 Result page: $1 \quad \underline{2} \quad \underline{3} \quad \underline{4} \quad \underline{5} \quad \underline{6} \quad \underline{7} \quad \underline{8} \quad \underline{9} \quad \underline{10} \quad \underline{next}$

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Myndows Media Player



Subscribe (Full Service) Register (Limited Service, Free) Login

The ACM Digital Library
O The Guide Search:

prose rendition

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survev

Terms used prose rendition

Found 921 of 160,906

Sort results by

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form

☐ Open results in a new window

Result page: **1** 2 3 4 5 6 7 8 9 10 next

Best 200 shown

Results 1 - 20 of 200

Web accessibility: Improving the accessibility of aurally rendered HTML tables Robert Filepp, James Challenger, Daniela Rosu

July 2002 Proceedings of the fifth international ACM conference on Assistive technologies

Full text available: pdf(1.36 MB)

Additional Information: full citation, abstract, references, citings, index terms

Current techniques employed to aurally render HTML tables often result in output that is very difficult for sight-impaired users to understand. This paper proposes TTPML, an XMLcompliant markup language, which facilitates the generation of prose descriptions of tabular information. The markup language enables content creators to specify contextual reinforcement of, and linear navigation through, tabular information. The markup language may be applied to pre-existing Web content and is reusable ...

Keywords: Web accessibility, XML, aural interfaces, tables

² Enabling hypermedia messaging: BPRM—a body part relationship module K. Lenssen



October 1994 Proceedings of the second ACM international conference on Multimedia

Full text available: pdf(793.80 KB) Additional Information: full citation, abstract, references, index terms

Hypermedia is well known as a simple and natural extension of multimedia and hypertext. Multimedia provides the richness in data types that facilitates flexibility in expressing information, while hypertext provides a control structure that supports an elegant way of navigating through this data in a content-based manner. The power of hypermedia results from merging both techniques. Providing those extended features on the users desktop environment and in consequence, combining them with av ...

A spreading activation approach to text illustration

K. Hartmann, Th. Strothotte



Full text available: pdf(1.86 MB)

Additional Information: full citation, abstract, references, citings

In this paper we present a new approach to implement intelligent multimedia interfaces. Its central elements are a media-independent formal representation of the presented knowledge and media-specific realization statements. Reference hypotheses for media objects are established automatically. Subsequently, the reference hypotheses are validated

and weighted by a spreading activation algorithm. Moreover, the spreading activation algorithm determines those entities of the formal representation wh ...

Keywords: intelligent multimedia interfaces, spreading activation, text illustration

4 Standards, mark-up, and metadata: XML semantics and digital libraries Allen Renear, David Dubin, C. M. Sperberg-McQueen, Claus Huitfeldt May 2003 Proceedings of the 3rd ACM/IEEE-CS joint conference on Digital libraries Full text available: pdf(52.03 KB) Additional Information: full citation, abstract, references, index terms

The lack of a standard formalism for expressing the semantics of an XML vocabulary is a major obstacle to the development of high-function interoperable digital libraries. XML document type definitions (DTDs) provide a mechanism for specifying the syntax of an XML vocabulary, but there is no comparable mechanism for specifying the semantics of that vocabulary --- where semantics simply means the basic facts and relationships represented by the occurrence of XML constructs. A substantial loss of ...

5 Technical correspondence CORPORATE Tech Correspondence

November 1987 Communications of the ACM, Volume 30 Issue 11

Full text available: pdf(581.61 KB) Additional Information: full citation, references, index terms

Tutorial on fuzzy logic in simulation

M. Luisa McAllister, Sergei A. Ovchinnikov, John T. Dockery, Klaus-Peter Adlassnig December 1985 Proceedings of the 17th conference on Winter simulation

Full text available: pdf(521.16 KB) Additional Information: full citation, abstract, references

The objective of this tutorial is to introduce to the simulation community another tool that is now available. This tool is best known under the name of Fuzzy Set Theory. This tutorial contains a brief discussion of the current trends in simulation which we believe justify the need of this new tool. Kept to a minimum, the Introduction to fuzzy sets will be strictly limited to the case of a finite number of elements. Most attention will be devoted to fuzzy logic. It is precisely fuzzy logic ...


7 Topological considerations in isosurface generation Allen van Gelder, Jane Wilhelms October 1994 ACM Transactions on Graphics (TOG), Volume 13 Issue 4

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(4.25 MB) terms, review

A popular technique for rendition of isosurfaces in sampled data is to consider cells with sample points as corners and approximate the isosurface in each cell by one or more polygons whose vertices are obtained by interpolation of the sample data. That is, each polygon vertex is a point on a cell edge, between two adjacent sample points, where the function is estimated to equal the desired threshold value. The two sample points have values on opposite sides of the threshold, and the interp ...

Keywords: ambiguity, isosurface extraction, scientific visualization, surface fitting, surface topology

The "HyTime": hypermedia/time-based document structuring language Steven R. Newcomb, Neill A. Kipp, Victoria T. Newcomb



	Alberto Policriti. Springer-Verlag 2001. Robert J. Irwin September 2003 ACM SIGACT News, Volume 34 Issue 3	
	Full text available: pdf(630.43 KB) Additional Information: full citation	
14	Potpourri: Translation analysis and translation automation Pierre Isabelle, Marc Dymetman, George Foster, Jean-Marc Jutras, Elliott Macklovitch, Francois Perrault, Xiaobo Ren, Michel Simard October 1993 Proceedings of the 1993 conference of the Centre for Advanced Studies on Collaborative research: distributed computing - Volume 2 Full text available: pdf(1.12 MB) Additional Information: full citation, abstract, references, citings	
	We argue that the concept of <i>translation analysis</i> provides a suitable foundation for a new generation of translation support tools. We show that pre-existing translations can be analyzed into a <i>structured translation memory</i> and describe our TransSearch bilingual concordancing system, which allows translators to harness such a memory. We claim that translation analyzers can help detect <i>translation errors</i> in draft translations and we present the results of an experiment on the	
15	Shrouds: optimal separating surfaces for enumerated volumes Gregory M. Nielson, Gary Graf, Ryan Holmes, Adam Huang, Mariano Phielipp May 2003 Proceedings of the symposium on Data visualisation 2003 VISSYM '03	*******
	Full text available: pdf(1.58 MB) Additional Information: full citation, abstract, citings	
	We describe new techniques for computing a smooth triangular mesh surface that surrounds an enumerated volume consisting of a collection of points from a 3D rectilinear grid. The surface has the topology of an isosurface computed by a marching cubes method applied to a field function that has the value one at the points in the volume and zero for points not in the volume. The vertices are confined to the edges of the grid that penetrate this separating surface and the precise positions are compu	
16	ACM forum February 1982 Communications of the ACM, Volume 25 Issue 2	
	Full text available: pdf(480.81 KB) Additional Information: full citation, references	
17	Strategic directions in artificial intelligence Jon Doyle, Thomas Dean December 1996 ACM Computing Surveys (CSUR), Volume 28 Issue 4	
	Full text available: pdf(243.02 KB) Additional Information: full citation, references, index terms	
18	Structural analysis of science prose: can we increase problem-solving performance? Richard E. Mayer August 1995 ACM SIGDOC Asterisk Journal of Computer Documentation, Volume 19 Issue 3	
	Full text available: pdf(1.28 MB) Additional Information: full citation, abstract, index terms	
	This chapter explores techniques for analyzing the structure and improving the understandability of science prose. Structure refers to a distinction between idea units that explain the mechanisms underlying a rule (explanative information) and idea units that do not (non-explanative information). Understandability is measured by tests of creative problem solving based on information in the passage. Science prose refers to a passage	

that contains a functional rule among two or more variables and ...

19 Communicating with decision tables, flowcharts, and prose

T. C. Willoughby, A. D. Arnold

September 1972 ACM SIGMIS Database, Volume 4 Issue 3

Full text available: 📆 pdf(288.04 KB) Additional Information: full citation, abstract, references

Prose, flowcharts, and decision tables are three techniques which can be used to describe process flows. Since they can be used to communicate actions and alternatives to people, one should be able to measure their effectiveness as communication aids. This study compared the ability of unsophisticated users to solve simple problems stated in each of the three forms.

²⁰ The PROSE [protection system evaluator] model

John E. Lenz

December 1979 Proceedings of the 11th conference on Winter simulation - Volume 1

Full text available: Ppdf(747.70 KB) Additional Information: full citation, abstract, references, index terms

The PROSE model is a combined GASP IV computer simulation to aid in the evaluation of protection systems. The primary systems that the PROSE model was designed for is the safeguarding of special nuclear fuel in transit or at a fixed site. The method used in designing the PROSE study model was to simulate a small arms combat between a guard force and attacking adversaries. Discrete events include player and vehicle movement, engagement between two players, portal construction and ...

Results 1 - 20 of 200 Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Re<u>al Player</u> Useful downloads: Adobe Acrobat QuickTime Windows Media Player



Home | Login | Logout | Access Information | Alerts |

BROWSE SEARCH IEEE XPLORE GUIDE Search Results Results for "((prose rendition)<in>metadata)" Sign-pail Your search matched 0 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** New Search ((prose rendition)<in>metadata) ☐ Check to search only within this results set » Key Display Format:

Citation Citation & Abstract Indicates full text access **IEEE JNL** IEEE Journal or Magazine No results were found. IEE Journal or Magazine IEE JNL Please edit your search criteria and try again. Refer to the Help pages if you need assistan IEEE Conference **IEEE CNF** Proceeding **IEE CNF** IEE Conference Proceeding IEEE STD IEEE Standard Help Contact Us Privacy &:

Inspec

© Copyright 2005 IEEE -